

ChiYu auto supplies

CHIYUDANQING

客户的满意就是驰誉的追求!

Customers' satisfaction is the pursuit of Chiyu.

CHIYU

Auto-Articles

[Http://www.yychiyu.com](http://www.yychiyu.com)



驰誉丹青
CHIYUDANQING



驰誉丹青
CHIYUDANQING

余姚市驰誉汽车用品有限公司
YUYAO CHIYU AUTO SUPPLIES CO.,LTD

地址:中国宁波余姚市泗门镇东蒲村泗马南路6号


Add:Dongpu Town, Yuyao City, Sima South Road, No.6, Ningbo, China

电话(Tel):+86-574-62135398

传真(Fax):+86-574-62135198

[Http://www.yychiyu.com](http://www.yychiyu.com)

Email:zjwtpc@126.com



YUYAO CHIYU AUTO SUPPLIES CO.,LTD

CATALOG 2021

COMPANY INTRODUCTION

公司介绍



余姚市驰誉汽车用品有限公司，坐落于浙江宁波余姚市泗门镇，占地面积5000平方米，交通便利，紧靠329国道，宁波、杭州机场都在一个小时车程内，业务辐射全国各地。公司是集研发、设计、生成、销售、售后服务于一体，专业从事生成胎压计、胎压表、胎压枪、吹尘枪、充气咀、充气杆、轮胎花纹深度尺、轮胎附件工具，4-1锌、铝压铸、五金、仪表及汽车配件等研究制造与销售的新型技术企业。各类产品分别经过国家质量监督坚持中心认可。另外，公司还建立了一整套配套服务体系，提出了来图来样或设计要求、评估制样、生产检验、交付使用、售后服务的方案。

公司自成立以来始终以“信誉至上，交货及时”为经营理念，以“质量第一”为服务宗旨。公司在迅速发展的过程中，把顾客的满意作为所有判断以及行动的标准。

追求卓越是我们的信念，用户满意是我们的追求，公司竭诚欢迎与各界合作，用我们的真诚和汗水共创未来！

YUYAO CHIYU AUTO SUPPLIES CO.,LTD, located in ningbo, zhejiang province yuyao see gate town, covers an area of 5000 square meters, the transportation is convenient, close to 329 national road, ningbo, hangzhou airport within one hour's drive, business radiation throughout the country. Company is set research and development, design, produce, sales and after-sales service in one, specializing in produce tire pressure gauge, tire pressure table, tire pressure gun, blowing dust gun, pneumatic nozzle, inflatable pole wheel, tire tread depth ruler, tire accessories tools, zinc, aluminum die-casting, metal, 4-1 meter and the manufacture and sale of new technology such as auto parts enterprises. All kinds of products were approved by the state administration of quality supervision, adhere to the center. In addition, the company has also established a complete set of supporting service system, is proposed for sample or design requirements, evaluation system, production inspection, delivery, after-sales service.

Company since its inception has always been to "reputation first, timely delivery" business philosophy, service in the "quality first" for the purpose. Company in the process of rapid development, the customer satisfaction as the standard all judgment and action.

The pursuit of excellence is our belief, and the user satisfaction is our pursuit, we sincerely welcome cooperation with all walks of life, with our sincere and sweat to create the future!



DIRECTORY

目录

- | | |
|----|----------------------------------|
| 01 | 轻型胎压计 LIGHT TIRE GAUGE |
| 05 | 中型胎压计 MEDIUM TIRE GAUGE |
| 07 | 重型胎压计 HEAVY-DUTY tire gauge |
| 09 | 轻型胎压表 LIGHT tire gauge |
| 12 | 中型胎压表 Medium tire gauge |
| 16 | 重型胎压表 HEAVY-DUTY tire gauge |
| 20 | 轮胎充气咀 INFLATABLE NOZZLE |
| 25 | 轮胎打气杆 TYRE PUMP |
| 29 | 高端胎压枪 High end tire pressure gun |
| 34 | 吹尘枪 BLOWING DUST GUN |
| 39 | 轮胎花纹深度尺 TIRE TREAD DEPTH RULER |
| 41 | 轮胎工具 TIRE TOOL |



CHIYU

Auto-Articles

◎ 轻型胎压计 LIGHT TIRE GAUGE

www.yychiyu.com

轻型胎压计 LIGHT TIRE GAUGE



CY-1001



Light tire gauge with key chain
Material: plastic, aluminum tube.
4 side plastic scale.
Pressure range: 10-50 psi.

CY-1002



Light tire gauge with key chain
Material: plastic or zinc alloy, aluminum tube.
4 side plastic scale.
Pressure range: 10-50 psi.

CY-1003



A tire gauge with a magnet
Material: plastic or zinc alloy, aluminum tube.
4 side plastic scale.
Pressure range: 10-50 psi.

CY-1004



Pen type tire gauge
Material: plastic.
2 side plastic scale.
Pressure range: 10-50 psi.

CY-1005



Transparent tube tire pressure gauge
Material: plastic.
4 side plastic scale.
Pressure range: 10-75 psi.
A: red. B: blue. C: black.

CY-1006



Pen type tire gauge
Materials: plastic, stainless steel tubes.
2 side plastic scale.
Pressure range: 5-50 psi.
A: black plastic head. B: chromium plated plastic head.

CY-1007



Pen type tire gauge
Material: plastic.
2 side plastic scale.
Pressure range: 10-50 psi.

CY-1008



Pen type tire gauge
Materials: plastic, stainless steel tubes.
2 side plastic scale.
Pressure range: 5-50 psi.
A: black plastic head. B: chromium plated plastic head.

CY-1009



Pen type tire gauge
Materials: plastic, aluminum tube.
2 side plastic scale.
Pressure range: 5-50 psi.

CY-1011



Pen type tire gauge
Material: plastic or zinc alloy, stainless steel tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-100 psi.

CY-1010



Pen type tire gauge
Material: plastic or zinc alloy, aluminum tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-100 psi.

CY-1012



Pen type tire gauge
Material: zinc alloy, stainless steel tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-100 psi.

CY-1013



Pen type tire gauge
Material: zinc alloy, stainless steel tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-100 psi.

CY-1014



Pen type tire gauge
Material: zinc alloy, stainless steel tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-100 psi.

CY-1015



Pen type tire gauge
Materials: zinc alloy, stainless steel tube, surface defense.
4 side plastic scale.
Pressure range: 10-50 psi.

CY-1016



Pen type tire gauge
Materials: zinc alloy, stainless steel tube, surface camouflage.
4 side plastic scale.
Pressure range: 10-50 psi.

CY-1017



Pen ball type pressure gauge
Material: iron, stainless steel tube.
4 side plastic scale.
Pressure range: 1-20 psi.

CHIYU

Auto-Articles

MEDIUM TIRE GAUGE

◎ 中型胎压计

www.yychiyu.com



CY-1202



Double head tire pressure gauge
Materials: plastic, stainless steel tubes.
4 side plastic scale.
Pressure range: 10-50 psi or 10-100psi.

CY-1203



Double head tire pressure gauge
Material: zinc alloy, copper tube or stainless steel tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-120psi.

中型胎压计 MEDIUM TIRE GAUGE



CY-1204



Double head tire pressure gauge
Material: zinc alloy, copper tube or stainless steel tube,
with black plastic cap.
Aluminum cylinder scale.
Pressure range: 5-50 psi, 10-120 psi, 10-160 psi.

CY-1205



Single tire pressure gauge
Material: zinc alloy, copper tube or stainless steel tube,
with black plastic cap.
Aluminum cylinder scale.
Pressure range: 5-50 psi, 10-120 psi, 10-160 psi.

CY-1206



Double head tire pressure gauge
Material: zinc alloy, copper tube or stainless steel tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-120psi.

CY-1207



Double head tire pressure gauge
Material: zinc alloy, copper tube or stainless steel tube.
4 side plastic scale.
Pressure range: 10-50 psi or 10-120psi.

CY-1208



Single tire pressure gauge
Material: zinc alloy, copper tube or stainless steel tube,
with black plastic cap.
Aluminum cylinder scale.
Pressure range: 5-50 psi, 10-120 psi, 10-160 psi.

CY-1209



Double head tire pressure gauge
Material: zinc alloy, copper tube or stainless steel tube
with black surface.
4 side plastic scale.
Pressure range: 10-50 psi or 10-120psi.

CY-1018



Pen type tire gauge
Materials: zinc alloy, stainless steel tube, surface
spray treatment.
4 side plastic scale.
Pressure range: 10-50 psi.

CY-1019



Pen type tire gauge
Materials: zinc alloy, stainless steel tube, surface
water transfer paper.
4 side plastic scale.
Pressure range: 10-50 psi.

CHIYU

Auto-Articles

HEAVY-DUTY TIRE GAUGE

◎ 重型胎压计

www.yychiyu.com



CY-1268



Truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube.
 2 side plastic scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1268T



Truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube.
 2 side iron scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1268L



Truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube.
 2 side aluminum scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1268FJ



Truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube,
 surface defense.
 2 side iron scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1269



Long pneumatic truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube.
 2 side plastic scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1269T



Long pneumatic truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube.
 2 side iron scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1269L



Long pneumatic truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube.
 2 side iron scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1269H



Long pneumatic truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube.
 Two black aluminum engraving measures.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1258



Truck tire gauge
 Material: zinc alloy, copper tube or stainless steel
 tube with black surface.
 2 or 4 side plastic scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1258F



Truck tire gauge
 Material: zinc alloy, copper tube or stainless steel tube
 with black surface.
 2 or 4 side plastic scale.
 Pressure range: 10-150psi, 10-160psi, 10-200psi.

CY-1260T



Truck tire gauge
 Material: zinc alloy, stainless steel tube.
 2 side iron scale.
 Pressure range: 10-160psi.

CY-1260



Truck tire gauge
 Material: all-copper, surface copper.
 2 side copper scale.
 Pressure range: 10-160psi.

CY-1264



Truck tire gauge
 Material: whole copper, chrome-
 plated surface.
 2 side plastic scale.
 Pressure range: 10-160psi.

CHIYU

Auto-Articles

LIGHT TIRE GAUGE

◎ 轻型胎压表

www.yychiyu.com

轻型胎压表 LIGHT TIRE GAUGE



CY-6002



Economic tyre pressure gauge
Material: ABS plastic housing, plastic dial.
Pressure range: 10-75psi.

CY-6006



Mini pressure gauge
Material: metal, 1.5 inch pressure gauge.
Aluminum dial.
Pressure range: 10-60 psi.

CY-6003



Economic tyre pressure gauge
Material: plastic.
Surface aluminum dials.
Pressure range: 10-60psi.

CY-6004



Economy type ball pressure gauge
Material: plastic.
1.5 inches of pressure gauge.
Aluminum dial.
Pressure range: 1-20 psi.

CY-6001



Economic tyre pressure gauge
Material: plastic body.
Plastic dial.
Pressure range: 10-50 psi, 10-100psi.

CY-6004B



Economy type ball pressure gauge
Material: copper body, metal core.
1.5 inches of pressure gauge.
Aluminum dial.
Pressure range: 1-20 psi.

CY-6005



Simple pressure gauge
Materials: zinc alloy main body, plastic, copper etc.
Aluminum clear dial, surface gray spray treatment.
Pressure range: 10-60 psi, 10-100psi, 10-150psi.



◎ 轻型胎压表 LIGHT TIRE GAUGE

== CY-6005B



Simple pressure gauge
Materials: zinc alloy main body, plastic, copper etc.
Aluminum dial with chrome plated surface.
Pressure range: 10-100psi.

== CY-6006



Mini pressure gauge
Material: metal, 1.5 inch pressure gauge.
Aluminum dial, with safety watch sheath.
Pressure range: 10-100 psi.

== CY-6007



Mini pressure gauge
Material: metal, 1.5 inch pressure gauge.
Aluminum dial.
Pressure range: 10-60psi or 10-100 psi.

== CY-6008



Mini pressure gauge
Material: metal, 1.5 inch pressure gauge.
With copper body, there is pressure protection.
Pressure range: 10-60psi or 10-100 psi.

== CY-6009



Mini pressure gauge
Material: metal, 1.5 inch pressure gauge.
With copper body, the gas head 360 degree rotation, with the protection of pressure and gas.
Pressure range: 10-60psi or 10-100 psi.

== CY-6010



Micro pressure gauge
Material: metal, 1.5 inch pressure gauge.
Aluminum body, gas head 360 degree rotation, has the protection pressure and the gas role.
Pressure range: 10-60 psi or 10-100 psi.

中型胎压表 MEDIUM TIRE GAUGE



== CY-6210



Economic tyre pressure gauge
2 inch pressure gauge
Bring with you the pressure, the frustration function.
Pressure range: 10-100PSI or 10-160 psi.

== CY-6211



Economic tyre pressure gauge
2 inch pressure gauge
Bring with you the pressure, the frustration function.
Pressure range: 10-100PSI or 10-160 psi.

== CY-6212



Economic tyre pressure gauge
2 inch pressure gauge
Bring with you the pressure, the frustration function.
Pressure range: 10-60psi.

== CY-6213



Economic tyre pressure gauge
2 inch pressure gauge
Bring with you the pressure, the frustration function.
Pressure range: 10-60psi or 10-100psi.

== CY-6214



Economic tyre pressure gauge
Material: Iron case, zinc alloy.
2 inch pressure gauge
Bring with you the pressure, the frustration function.
Pressure range: 10-60psi or 10-100psi.

== CY-6233



Economic tyre pressure gauge
1.5 inch pressure gauge
Bring with you the pressure, the frustration function.
Pressure range: 10-100psi.
A: red B: black



CY-6228



Economic tyre pressure gauge
2 inch pressure gauge
The aluminum oxide deflates valve body
Pressure range: 10–60psi.

CY-6228T



Economic tyre pressure gauge
2 inch pressure gauge
The copper 360 degrees rotary deflating valve body
Pressure range: 10–60psi or 10–100psi.

CY-6228Y



Economic tyre pressure gauge
2inch pressure gauge
The copper 360 degrees rotary deflating valve body
Pressure range: 10–60psi or 10–100psi.

CY-6226



Economic tyre pressure gauge
2 inch pressure gauge
aluminum oxide release valve
Pressure range: 10–60psi or 10–100psi.

CY-6227



Economic tyre pressure gauge
2inch pressure gauge
aluminum oxide release valve
Pressure range: 10–60psi or 10–100psi.

CY-6230



Economic tyre pressure gauge
2 inch digital display pressure gauge
aluminum oxide release valve
Pressure range: 10–200psi.



CHIYU

Auto-Articles

MEDIUM TIRE GAUGE

◎ 中型胎压表

www.yychiyu.com

CHIYU CY-6231A



Long tube tire pressure gauge
2 inch pressure gauge
Copper measuring air head, copper vent valve.
Pressure range: 10-100psi.

CHIYU CY-6231



Long tube tire pressure gauge
2inch pressure gauge
Copper measuring air head, copper vent valve.
Pressure range:10-100psi.

CHIYU CY-6231B



Long tube tire pressure gauge
2 inch pressure gauge
Iron measuring air head,copper vent valve.
Pressure range:10-100psi.

CHIYU CY-6232



Long tube tire pressure gauge
2 inch pressure gauge
Copper gauge holder
Pressure range:10-100psi.

重型胎压表 HEAVY-DUTY TIRE GAUGE



CHIYU CY-6236



High-end tire gauge
2 inch high precision pressure gauge
Copper vent valve,360-degree rotary air head, surface chrome treatment.
Pressure range: 10-60psi or 10-100psi.

CHIYU CY-6236A



High-end tire gauge
2 inch high precision pressure gauge
Copper vent valve,360-degree rotating air head, surface copper.
Pressure range:10-60psi or 10-100psi.

CHIYU CY-6236B



High-end tire barometer
2 inch high precision pressure gauge
Copper vent valve, zinc alloy measuring head, surface plating chromium.
Pressure range: 10-60 psi or 10-100 psi.

CHIYU CY-6237



High-end tire gauge
2 inch high precision pressure gauge
The copper deflates the gas head, which can be released quickly or instantly.
Pressure range: 10-60psi.

CHIYU CY-6238



High-end tire gauge
2 inch high precision pressure gauge
Copper vent valve, metal measuring rod.
Pressure range:10-70psi.

CHIYU CY-6239



High-end tire gauge
2 inch high precision pressure gauge
Metal measuring rod.
Pressure range: 10-160psi.

CHIYU CY-6240



Truck tire gauge
2.5 inch metal pressure gauge
Zinc alloy measuring head,black rubber hose.
Pressure range:10-220psi

HEAVY-DUTY TIRE GAUGE 重型胎压表

CY-6240A



Truck tire gauge
2.5 inch metal pressure gauge
Copper measuring air head, black rubber hose.
Pressure range: 10-220psi.

CY-6246



Truck tire gauge
2.5 inch metal pressure gauge
Metal rods, black rubber tubing.
Pressure range: 10-220psi.

CY-6242



Truck tire gauge
2 inch metal pressure gauge
Copper vent valve, 360 degree rotary air head, surface plating chromium treatment, wrap yarn rubber hose.
Pressure range: 10-220psi.

CY-6247



Truck tire gauge
2 inch digital display pressure gauge
Copper vent valve, metal measuring head, surface plating chromium treatment, wrap yarn rubber hose.
Pressure range: 10-200psi.

CY-6248



Tire pressure table 4*4
2 inch metal pressure gauge
Copper vent valve, red coated rubber hose
Pressure range: 10-60psi.

CY-6249



Tire pressure table 4*4
2 inch metal pressure gauge
Copper vent valve, Steel wire wrap rubber hose
Pressure range: 10-70psi.

CHIYU

Auto-Articles

HEAVY-DUTY TIRE GAUGE

◎ 重型胎压表

www.yychiyu.com

CY-6243



Economic tyre pressure gauge
2 inch mechanical pressure gauge
Zinc alloy measuring rod, zinc alloy watch body
Pressure range: 10-100psi.

CY-6244



Economic tyre pressure gauge
2 inch metal pressure gauge
Zinc alloy measuring rod
Pressure range: 10-220psi.

CY-6250



Heavy tire pressure gauge
2 inches display pressure gauge
Copper release valve and air measuring head.
Pressure range: 10-200 psi.

CY-6245



Economic tyre pressure gauge
2 inch metal pressure gauge
Zinc alloy measuring rod, copper vent valve
Pressure range: 10-100psi.

HEAVY-DUTY TIRE GAUGE 重型胎压表

CY-6246A



Heavy duty tire pressure gauge
The product adopts a 2.5-inch watch head, rubber and plastic air pipe, metal air rod, and has the function of deflating.
The test range is 0-230 psi.

CY-6246B



Heavy duty tire pressure gauge
The product adopts 2-inch watch head, rubber and plastic air pipe, metal air rod, and has the function of deflating.
The test range is 0-160psi.

CY-6251C



Heavy duty tire pressure gauge
The product adopts 2-inch digital display head, rubber and plastic air pipe, metal air rod, and has the function of deflating.
The test range is 0-200 psi.

CY-6251D



Heavy duty tire pressure gauge
The product adopts 2-inch digital display head, rubber and plastic air pipe, copper gas tip, with the deflating function.
The test range is 0-200 psi.

CY-6252



Heavy duty tire pressure gauge
The product USES a 2-inch pointer meter head, iron pipe, and has the function of deflating.
The test range is 0-230 psi.

CY-6253



Heavy duty tire pressure gauge
The product adopts 3-inch digital display head, rubber and plastic air pipe, zinc alloy triangle-rotating air measuring head, and has the function of deflating.
The test range is 0-200 psi.

CY-6254D



Heavy duty tire pressure gauge
The product adopts 2.5-inch digital display head, rubber and plastic air pipe, iron pipe inflatable rod and has the deflating function. It is professionally used for 12V1 air tip and the test range is 0-200 psi.

CHIYU

Auto-Articles

INFLATABLE NOZZLE

◎ 轮胎充气咀

www.yychiyu.com



Part No.	Description	Intake size
CY-106Z-1	Open, chrome plated	6mm



Part No.	Description	Intake size
CY-106-1	Open, copper and chrome plated	6mm
CY-106-2	Closed, copper and chrome plated	6mm
CY-108-1	Open, copper and chrome plated	8mm
CY-108-2	Closed, copper and chrome plated	8mm
CY-110-1	Open, copper and chrome plated	10mm
CY-110-2	Closed, copper and chrome plated	10mm



Part No.	Description	Intake size
CY-206-1	Open, copper and chrome plated	6mm
CY-206-2	Closed, copper and chrome plated	6mm
CY-208-1	Open, copper and chrome plated	8mm
CY-208-2	Closed, copper and chrome plated	8mm
CY-210-1	Open, copper and chrome plated	10mm
CY-210-2	Closed, copper and chrome plated	10mm



Part No.	Description	Intake size
CY-124-1	Open, copper and chrome plated	NPT1/4
CY-124-2	Closed, copper and chrome plated	NPT1/4
CY-125-1	Open, copper and chrome plated	NPT1/4
CY-125-2	Closed, copper and chrome plated	NPT1/4
CY-125-3	Open, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-225-1	Open, copper and chrome plated	NPT1/4
CY-225-2	Closed, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-112-1	Open, copper and chrome plated	NPT1/4
CY-112-2	Closed, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-136-1	Open, copper and chrome plated	6mm
CY-136-2	Closed, copper and chrome plated	6mm
CY-138-1	Open, copper and chrome plated	8mm
CY-138-2	Closed, copper and chrome plated	8mm
CY-140-1	Open, copper and chrome plated	10mm
CY-140-2	Closed, copper and chrome plated	10mm



Part No.	Description	Intake size
CY-114-1	Open, copper and chrome plated	NPT1/4
CY-114-2	Closed, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-316-1	Open, chrome plated	6mm



Part N.	Description	Intake size
CY-326-1	Open, chrome plated	6mm
CY-328-1	Open, chrome plated	8mm



Part No.	Description	Intake size
CY-214-1	Open, copper and chrome plated	NPT1/4
CY-214-2	Closed, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-115-1	Open, copper and chrome plated	NPT1/4
CY-115-2	Closed, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-116-1	Open, copper and chrome plated	6mm
CY-116-2	Closed, copper and chrome plated	6mm
CY-118-1	Open, copper and chrome plated	8mm
CY-118-2	Closed, copper and chrome plated	8mm



Part No.	Description	Intake size
CY-330-1	Open, copper and chrome plated	NPT1/4
CY-330-2	Closed, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-331-1	Open, copper and chrome plated	8mm
CY-331-2	Closed, copper and chrome plated	8mm



Part No.	Description	Intake size
CY-332-1	Open, copper and chrome plated	NPT1/4
CY-332-2	Closed, copper and chrome plated	NPT1/4



Part No.	Description	Intake size
CY-218-1	Open, chrome plated	NPT1/4



Inflate the quick insert
American: A: 12V1, B: 8V1



CY-108v1
Copper chuck
Product: The material is copper and the connector is 8V1.



CY-123
Copper chuck
Products: copper, connector nPT1/4 or G1/4.



CY-112
Copper gas nozzle
Products: copper, connector nPT1/4 or G1/4.




CY-129-2 Tyre inflation nozzle
Product: Material: Zinc alloy, aluminum alloy, with rotating function, connector is NPT1/4 or G1/4.




CY-129-1 Tyre inflation nozzle
Product: Material is zinc alloy, aluminum alloy, with rotating function, connector is 6MM, 7MM, 8MM, 9MM, 10MM.



CY-129-3 Tyre inflation nozzle
Products: Zinc alloy, aluminum alloy, with rotating function, connecting port nPT1/4, G1/4



CY-127 Tyre inflation nozzle
Product: Material is zinc alloy, with rotating function, self-locking function, connecting port is NPT1/4, G1/4.



CY-126 Gas holder tip
Product: The material is zinc alloy, with self-locking function, the connector is 6MM, 8MM, 10MM.

TYRE PUMP 轮胎打气杆



CHIYU
Auto-Articles
◎ 轮胎打气杆
TYRE PUMP

www.yychiyu.com

Material : Zinc alloy iron



Part No.	Description	Intake size
CY-9601-1	Open, chrome plated	NPT1/4
CY-9601-2	Closed, chrome plate	NPT1/4

Material : Zinc alloy iron



Part No.	Description	Intake size
CY-9602-1	Open, chrome plated	NPT1/4
CY-9602-2	Closed, chrome plate	NPT1/4

Material : Zinc alloy iron



Part No.	Description	Intake size
CY-9603-2	Closed, chrome plate	NPT1/4

Material: zinc alloy



Part No.	Description	Intake size
CY-9604-1	Open, chrome plated	NPT1/4
CY-9604-2	Closed, chrome plate	NPT1/4

Material: zinc alloy and copper



Part No.	Description	Intake size
CY-9605-1	Open, chrome plated	NPT1/4
CY-9605-2	Closed, chrome plate	NPT1/4

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9606-1	Open, chrome plated	8mm
CY-9606-2	Closed, chrome plate	8mm

Material: copper



Part No.	Description	Intake size
CY-9607-1	Open, chrome plated	6 or 8 mm
CY-9607-2	Closed, chrome plate	6 or 8 mm

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9608-2	Closed, chrome plate	NPT1/4

Material: zinc alloy and copper



Part No.	Description	Intake size
Y-9609-2	Closed, chrome plate	NPT1/4

Material: iron and zinc alloy



Part No.	Description	Intake size
CY-9610-1	Open, chrome plated	G1/4

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9611-2	Closed, The surface of the black	NPT1/4
CY-9611B-2	Closed, The surface of the black	NPT1/4

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9612-1	Open, chrome plated	NPT1/4
CY-9612-2	Closed, chrome plated	NPT1/4

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9613-1	Open, Chrome-plated zinc	G1/4

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9614-2	Closed, chrome plated	Quick insert core

TYRE PUMP 轮胎打气杆

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9615-2	Closed, chrome plated	Quick insert core

Material: aluminum and copper



Part No.	Description	Intake size
CY-9616-1	Open, chrome plated	NPT1/4
CY-9616-2	Closed, chrome plate	NPT1/4

Material: aluminum, copper and iron



Part No.	Description	Intake size
CY-9618-1	Open, chrome plated	NPT1/4
CY-9618-2	Closed, chrome plate	NPT1/4

Material: whole copper and blue PP plastic handle



Part No.	Description	Intake size
CY-9621-2	Closed, chrome plate	8V1

Material: zinc alloy and iron



Part No.	Description	Intake size
CY-9619-2	Closed, chrome plated	NPT1/4

Material: aluminum, copper and iron



Part No.	Description	Intake size
CY-9617-1	Open, chrome plated	NPT1/4
CY-9617-2	Closed, chrome plate	NPT1/4

Material: all-copper



Part No.	Description	Intake size
CY-9620-2	Closed, chrome plate	8mm

Material: whole copper and blue PP plastic handle



Part No.	Description	Intake size
CY-9622-2	Closed, chrome plate	8mm

Material: whole copper and blue PP plastic handle



Part No.	Description	Intake size
CY-9623-2	Closed, chrome plate	8mm

轮胎打气杆 TYRE PUMP

CY-9624



Tyre inflatable tube
Product materials, PVC pipe, zinc alloy chuck, G1/4

CY-9625



Tyre inflatable tube
Product materials, rubber and plastic tube, copper chuck, G1/4

CY-9625A



Tyre inflatable tube
Material: rubber and plastic tube, chrome plated copper collet, G1/4

CY-9627



Tyre inflatable tube
Product material, red PVC pipe, zinc alloy big chuck, with Japanese, American, European, fast core.

CY-9628A



Tyre inflatable tube
Product materials, blue PVC pipe, iron air nozzle with vacuum, with Japanese, American, European, fast core.

CY-9628B



Tyre inflatable tube
Product material, blue PVC pipe, zinc alloy, with Japanese, American, European, quick core insertion.

CY-9624A



Tyre inflatable tube
Material, rubber and plastic tube, zinc alloy chuck, G1/4

CY-9624B



Tyre inflatable tube
Product material, rubber and plastic tube, natural copper collet, G1/4

CY-9626



Tyre inflatable tube
Material: blue PVC pipe, self-locking copper collet, G1/4.

CY-9628



Tyre inflatable tube
Product material, blue PVC pipe, iron double head air nozzle, with Japanese, American, European, fast core insertion.

CY-9630



The gas canister fills the air pipe of the truck
Material: Blue PVC pipe, Japanese female connector, 16* 1.5mm interface

CY-9628C



Tyre inflatable tube
Product material, blue PVC pipe, zinc alloy, with Japanese, American, European, quick core insertion.

HIGHT END TIRE PRESSURE GUN 高端胎压枪

CY-8501A



Gauge gun
Aluminum main body and plastic handle, red rubber pipe.
Air inlet: npt1/4
Pressure range: 10-120spsi OR 10-170psi.

CY-8501B



Gauge gun
Aluminum main body and plastic handle, red rubber hose and metal rod
Air inlet: npt1/4
Pressure range: 10-120spsi OR 10-170psi.

CY-8501



High end tire pressure gun
Zinc alloy main body and aluminum oxide black handle, 1/4 black rubber tube connected zinc alloy conjoined inflatable lever.
Air inlet: npt1/4
Pressure range: 10-120spsi OR 10-170psi.

CY-8502



High end tire pressure gun
The aluminum cavity and copper are three sides, 1/4 red rubber trachea.
Air inlet: npt1/4
Pressure range: 10-90spsi OR 10-120psi.

CY-8503



High end tire pressure gun
The zinc alloy cavity surface is plated with chromium, the scale reads through a magnifying glass.
Air inlet: npt1/4 Pressure range: 10-120psi.

CY-8504



High end tire pressure gun
Zinc alloy and aluminum main body, with 2-inch high precision pressure gauge copper pneumatic chuck.
Air inlet: npt1/4
Pressure range: 10-100psi or 10-160psi.

CHIYU

Auto-Articles

HIGHT END TIRE PRESSURE GUN

◎ 高端胎压枪

www.yychiyu.com

CY-8504D



High end tire pressure gun
Zinc alloy and aluminum main body, with 2-inch high precision digital display pressure gauge copper pneumatic chuck and steel wire wrap trachea.
Air inlet: npt1/4
Pressure range: 10-200psi.

CY-8505



High end tire pressure gun
Zinc alloy and aluminum main body, with 2.5 inch high precision pressure gauge zinc alloy inflatable chuck and black rubber trachea.
Air inlet: npt1/4
Pressure range: 10-100psi or 10-160psi or 10-220psi.

CY-8506



High end tire pressure gun
The aluminum main body is sprayed with silver metal baking paint and 2-inch high precision pressure gauge copper pneumatic chuck and black rubber trachea.
Air inlet: with npt1/4, American, Japanese and European core.
Pressure range: 10-100psi or 10-160psi.

CY-8507



Simple tire pressure gun
Aluminum black gun, with 2 inch pressure gauge.
Air inlet with quick core
Pressure range: 10-220psi.

CY-8508



Simple tire pressure gun
The aluminum surface is plated with nickel-plated gun, with a 2.5-inch pressure gauge and a zinc alloy air clip with PVC air pipe.
Air inlet with quick core
Pressure range: 10-220psi.

CY-8508D



Simple tire pressure gun
The aluminum surface is plated with nickel gun body, with 2.5 inch digital display pressure gauge and copper pneumatic chuck rubber air pipe.
Air inlet with quick core
Pressure range: 10-220psi.

CY-8509



Simple tire pressure gun
The aluminum surface spray gun body is equipped with a 2.5-inch pressure gauge and a zinc alloy gas clip with PVC air pipe.
Air inlet with quick core
Pressure range: 10-220psi.

CY-8509C



Simple tire pressure gun
The aluminum surface spray gun body is equipped with a 2.5-inch shock-proof pressure gauge and copper pneumatic chuck rubber air pipe.
Air inlet with quick core
Pressure range: 10-220psi.

CY-8509D



Simple tire pressure gun
The aluminum surface spray gun body is equipped with a 2.5 inch digital display pressure gauge and a copper pneumatic chuck rubber air pipe.
Air inlet with quick core
Pressure range: 10-220psi.

CY-8513



Tire pressure gun
The product material is aluminum alloy surface electroplating, zinc alloy gas chuck, 2-inch pointer pressure gauge, working range 0-230 psi, has four working units.

CY-8507A



Tire pressure gun
The product material is aluminum alloy surface electroplating, self-locking air nozzle, 2-inch pointer pressure gauge, working range 0-230 psi, has four working units.

CY-8508A



Tire pressure gun
The product material is aluminum alloy surface electroplating, self-locking chuck, 2.5-inch pointer pressure gauge, working range 0-230 psi, has four working units.

CY-8505A



Tire pressure gun
The product material is aluminum alloy, zinc alloy surface electroplating, aerated rod air tip, 2-inch pointer pressure gauge, working range 0-230 psi, has four working units.

CY-8510



Tire pressure gun
The product material is aluminum alloy gun body, self-locking air nozzle, 2.5-inch pointer pressure gauge, working range 0-230 psi, has four working units.

CY-8510D



Tire pressure gun
The product material is aluminum alloy gun body, self-locking air nozzle, 2.5-inch digital display pressure gauge, working range 0-200 psi, there are four working units.

CY-8510E



Tire pressure gun
The product material is aluminum alloy gun body, surface wine red spray, self-locking gas nozzle, 3-inch digital display pressure gauge, working range 0-200 psi, there are four working units.

HIGHT END TIRE PRESSURE GUN 高端胎压枪

CY-8511D



Tire pressure gun
The material of the product is aluminum alloy gun body, zinc alloy self-locking chuck, rubber and plastic pipe pipe, 2.5-inch digital display pressure gauge, working range 0-200 psi, there are 4 working units.

CY-8511E



Tire pressure gun
The material of the product is aluminum alloy gun body, zinc alloy self-locking chuck, rubber and plastic pipe pipe, 3-inch digital display pressure gauge, working range 0-200 psi, there are 4 working units.

CY-8511F



Tire pressure gun
The materials of the products are aluminum alloy gun body, zinc alloy self-locking chuck, rubber and plastic pipe pipe, 2.5-inch shockproof diaphragm pressure gauge, working range 0-300psi, with 2 working units.

CY-8512D



Tire pressure gun
The product material is nylon gun body, copper chuck, stainless steel wire pipe, 2.5-inch digital display pressure gauge, working range 0-200 psi, there are 4 working units.

CY-8520



Tire pressure gun
The product material is nylon gun body, zinc alloy chuck, PVC pipe, 2.5-inch pointer pressure gauge, working range 0-230 psi, there are four working units.

CY-8520C



Tire pressure gun
The material of the product is nylon gun body, copper collet, rubber tube air pipe, 2.5-inch shockproof pressure oil gauge, working range 0-230PSI, there are 2 working units.

CY-8520D



Tire pressure gun
The material of the product is nylon gun body, copper chuck, rubber tube air tube, 2.5-inch digital display pressure gauge, working range is 0-200psi, there are 4 working units.

CHIYU

Auto-Articles

BLOWING DUST GUN

吹尘枪

www.yychiyu.com




CY-5606

Air blow gun
Material: zinc alloy copper aluminum, surface chrome treatment.
Pressure: 150 psi, air inlet: npt1/4.
Tubelength: A: 12 inches. B: 24 inches. C: 36 inches.

CY-5605

Air blow gun
Material: zinc alloy copper iron, spray paint body.
Pressure: 150 psi, air inlet: American, Japanese, European fast insert.



BLOWING DUST GUN 吹尘枪

吹尘枪 BLOWING DUST GUN

CY-5601



Air blow gun
Material: zinc alloy copper, surface chrome.
Work pressure: 150 psi, air inlet npt1/4, air outlet npt1/4.

CY-5602



Air blow gun
Material: zinc alloy copper, surface chrome.
Work pressure: 150 psi, air inlet npt1/4, air outlet npt1/4.

CY-5607



Air blow gun
Material: zinc alloy copper, surface chrome-plated treatment of double-headed air inlet.
Work pressure: 150 psi, air inlet: npt1/4.

CY-5608




Air blow gun
Material: aluminum alloy copper, copper-plated bronze.
Work pressure: 150 psi, air inlet: npt1/4.

CY-5609



Air blow gun
Material: aluminum alloy copper, copper-plated bronze.
Work pressure: 150 psi, air inlet: npt1/4.



CY-5603

Air blow gun
Material: zinc alloy copper, surface chrome.
Work pressure: 150 psi, air inlet npt1/4, air outlet npt1/4
There are four safety nozzles.



CY-5604

Air blow gun
Material: aluminum alloy copper, surface sandblasting nickel plating.
Work pressure: 150 psi, air inlet npt1/4, air outlet npt1/4
There are four safety nozzles.

CY-5610



Blowing dust gun
The material of this product is nylon, the air pressure can be adjusted, the air flow is large.
The working pressure is 8BAR.

CY-5611



Blowing dust gun
This product is made of aluminum alloy, nickel-plated surface, short air nozzle, large air flow.
The working pressure is 8BAR.

CY-5611C



Blowing dust gun
This product is made of aluminum alloy, nickel-plated surface, long air nozzle, large air flow.
The working pressure is 8BAR.

CY-5611S



Blowing dust gun
The material of this product is aluminum alloy, the surface is nickel plated, the long air nozzle can be telescoped, the airflow is large.
The working pressure is 8BAR.

CY-5611Z



Blowing dust gun
The material of this product is aluminum alloy, the surface of aluminum color, straight head short air nozzle, large air flow.
The working pressure is 8BAR.

CY-5615



Blowing dust gun
The material of this product is aluminum alloy, the surface of wine-red spray, short air nozzle, tire inflatable tube, large air flow.
The working pressure is 8BAR.

BLOWING DUST GUN 吹尘枪

吹尘枪 BLOWING DUST GUN

CY-5616



Blowing dust gun
This product is made of aluminum alloy, nickel-plated surface, short air rod, large air flow.
The working pressure is 8BAR.

CY-5617



Blowing dust gun
The material of this product is aluminum alloy, the surface is sprayed plastic, the airflow is big.
The working pressure is 8BAR.

CY-5617A



Blowing dust gun
The material of this product is aluminum alloy, surface sprayed plastic, short air rod, large air flow.
The working pressure is 8BAR.

CY-5618



Blowing dust gun
The material of this product is aluminum alloy, the surface of aluminum color, short air rod, large air flow.
The working pressure is 8BAR.

CY-5618C



Blowing dust gun
This product material is aluminum alloy, surface aluminum color, long air rod, large air flow.
The working pressure is 8BAR.

CY-5618S



Blowing dust gun
The material of this product is aluminum alloy, the surface of aluminum, the air rod can stretch, the air flow is big.
The working pressure is 8BAR.

CY-5619



Blowing dust gun
This product is made of aluminum alloy, chrome plated surface, short nozzle air head, safety valve, large air flow.
The working pressure is 8BAR.

CY-5619S



Blowing dust gun
The material of this product is aluminum alloy, surface sprayed plastic, telescopic air rod, air flow is large.
The working pressure is 8BAR.

CY-5620T



Dust gun set
The material of this product is nylon, the product is strong firmness, telescopic air rod, with tire double end air rod air flow.
The working pressure is 8BAR.



CY-8246

Dust gun expansion air rod
This product is made of two types of iron and aluminum with strong firmness and large airflow.
Dimensions :8 inches, 12 inches, 24 inches, 36 inches, etc.
The working pressure is 8BAR.

CY-5701



Dust gun nozzle
This product is made of copper and rubber with strong firmness and high airflow.
The working pressure is 8BAR.

CY-5702



Dust gun nozzle
This product is made of aluminum with strong firmness and high airflow.
The working pressure is 8BAR.

CY-5703



Dust gun nozzle
This product is made of copper and PVC with strong firmness and high airflow.
The working pressure is 8BAR.

CY-5704



Dust gun nozzle
The material of this product is copper, the surface is nickel-plated, the product has strong firmness and large airflow.
The working pressure is 8BAR.

CHIYU

Auto-Articles

TIRE TREAD DEPTH RULER

◎ 轮胎花纹深度尺

www.yychiyu.com



CY-3629

Tyre tread rule
Zinc alloy main surface plating treatment,
stainless steel scale.
Range:0-30 mm.

CY-3630

Truck tire tread depth ruler
Material: aluminum oxide body, stainless
steel push drawing scale.
Range:0-150mm / 0-192nds.

CY-3631

Digital display tire pattern ruler
The working range of this product: 0-27mm.

轮胎花纹深度尺 TIRE TREAD DEPTH RULER



CY-3621



Tire tread depth ruler
Depth range:1/32"-1(1-25mm).

CY-3622



Tire tread depth ruler
Depth range:1/32"-1(1-25mm).

CY-3623



Tire tread depth ruler
Depth range:1/32"-1(1-25mm)
Red shaded area:0-3mm & 0-3/32"
Yellow shaded area:3-5mm & 4-32"-5/32"
Green shaded area:5-25mm & 6/32"-1"

CY-3624



Tire tread depth ruler
Depth range:1/32"-1(1-25mm)
Metal bar

CY-3625



Tyre tread rule
Material: plastic ABS with key chain
Range:0-20 mm.

CY-3626



Tyre tread rule
Material: plastic ABS with key chain
Range:0-30 mm.

CY-3627



Tyre tread rule
Material: plastic ABS with key chain
Range:0-20 mm.

CY-3628



Tire tread depth watch
Zinc alloy shell, three - color aluminum dials and copper
push-pull measuring rod.
Range:0-11 mm or 0-13NDS.

CHIYU

Auto-Articles

◎ 轮胎工具 TIRE TOOL

www.yychiyu.com



CY-4821



Valve repair tools
Materials: steel, aluminum. It has the function of self-locking valve core, with strong magnetic absorption in the air core.
Used for 8V1 valve gas core.

CY-4822



Valve repair tools
Materials: steel, aluminum. It has the function of self-locking valve core, with strong magnetic absorption in the air core.
Used for 8V1 valve gas core.

CY-5659



Tire pressure monitor
Material: copper, plastic
Measuring range: full green refers to the normal pressure, the occurrence of red means the pressure is insufficient.

CY-4820



Valve repair tools
Material: steel. There are four functional functions
Used for 8V1 valve gas core.

CY-4642



Brake gauge thickness gauge
Surface: red, yellow, green tricolor to normal, warning, need to replace.

CY-5658



The truck nut loosens the indicator
Material: super resilient plastic. Side dimensions:
21 mm, 27 mm, 30 mm, 32 mm, 33 mm, 34 mm,
35 mm and 38 mm, 41 mm, 43 mm.

轮胎工具 TIRE TOOL



CY-6501



Oil pressure gauge
Dimensions: models 50, 60, stainless steel housing, metal joint, pressure 6BAR.

CY-6502



Oil pressure gauge
Dimensions: models 50, 60, stainless steel housing, metal joint, pressure 10BAR.

CY-6503



Oil pressure gauge
Dimensions: models 50, 60, stainless steel housing, metal joint, pressure 16BAR.

CY-6504



Shockproof diaphragm pressure gauge
Dimensions: Models 50, 60, stainless steel housing, metal joints, working pressure 0/300 psi and 0/200 kg

CY-6505



Digital display manometer
Dimensions: Models 50, 60, plastic housing, metal joints, working pressure 0/200psi, four working units interchangeable.

CY-6506



Needle pressure gauge
Dimensions: Type 50, type 60, plastic housing, metal joint, working pressure 0/220psi, four working units interchangeable.

CY-4640



Tire repair tools.

CY-4823



Tire valve tool
Function: The product has self-locking function, handle rotation. Aluminum material.

CY-4641



Tire repair sonde.



CY-5665

Pneumatic group set tools
Quantity: 15 pieces

1-----1/4" Quick coupler
2-----ball needle
1-----tapered inflator
1-----needle adapter
1-----double female connector
1-----double male connector
1-----Rubber safety nozzle
1-----high pressure nozzle
1-----Tire pressure table
1-----Blowing dust gun
2-----1/4"Male plug
2-----1/4"Female plug
Packing: plastic box.



CY-5661



Group sets of tools
Classification: tire pressure gauge, tire tread ruler,
pneumatic chuck, air core key,
American cartridge. Packing: plastic box.

CY-5662



Group sets of tools
Classification: digital display tire gauge, valve pressure cap,
air core key, air core.
Packing: plastic box.

CY-5663



Group sets of tools
Classification: tire pressure gauge, valve cap, valve key,
tire tread ruler.
Packing: plastic box.

CY-5664



Group sets of tools
Classification: light tire pressure gauge, gas nozzle,
American plug, air door key, valve cap.
Packing: plastic box.

